

Encyclopedia of Database Systems
Springer Science+Business Media, LLC 2009
10.1007/978-0-387-39940-9_220
LING LIU and M. TAMER ÖZSU

MANET Databases

Yan Luo¹ and Ouri Wolfson¹

(1) University of Illinois at Chicago, Chicago, IL, USA


Without Abstract

Synonyms

Mobile ad hoc network databases

Definition

A mobile ad hoc network (MANET) database is a database that is stored in the peers of a MANET. The network is composed by a finite set of mobile peers that communicate with each other via short range wireless protocols, such as IEEE 802.11, Bluetooth, Zigbee, or Ultra Wide Band (UWB). These protocols provide broadband (typically tens of Mbps) but short-range (typically 10–100 m) wireless communication. On each mobile peer there is a local database that stores and manages a collection of data items, or reports. A report is a set of values sensed or entered by the user at a particular time, or otherwise obtained by a mobile peer. Often a report describes a physical resource such as an available parking slot. All the local databases maintained by the mobile peers form the MANET database. The peers communicate reports and queries to neighbors directly, and the reports and queries propagate by transitive multi-hop transmissions. Figure 1 below illustrates the definition.



MANET Databases. Figure 1 A MANET database.

MANET databases enable matchmaking or resource discovery services in many application domains, including social networks, transportation, mobile electronic commerce, emergency response, and homeland security.

Communication is often restricted by bandwidth and power constraints on the mobile peers. Furthermore, reports need to be stored and later forwarded, thus memory constraints on the mobile devices constitute a problem as well. Thus, careful and efficient utilization of scarce peer resources (specifically bandwidth, power, and memory) are an important challenge for MANET databases.

Historical Background

Consider mobile users that search for local resources. Assuming that the information about the existence and location of such a resource resides on a server, a communication infrastructure is necessary to access the server. Such an infrastructure may not be available in military/combat situations, disaster recovery, in a commercial flight, etc. Even if the infrastructure and a server are both available, a user may not be willing to pay the dollar-cost that is usually involved in accessing the server through the cellular infrastructure. Furthermore, cellular bandwidth is limited (e.g., 130 character text messages). In other words, a client-server approach may have accessibility problems.

Currently, Google and local.com provide static local information (e.g., the location of a restaurant, pharmacy, etc.), but not dynamic information such as the location of a taxi cab, a nearby person of interest, or an available parking slot. These dynamic resources are temporary in nature, and thus require timely, real-time update rates. Such rates are unlikely to be provided for the country or the world by a centralized server farm, e.g., Google. Thus, dynamic local resources may require local servers, each dedicated to a limited geographic area. However, for many areas such a local server may not exist due to lack of a profitable business model, and if it exists it may be unavailable (such servers are unlikely to have the reliability of global sites such as Google). Furthermore, the data on the server may be unavailable due to propagation delays (think of sudden-brake information that needs to be propagated to a server and from there to the trailing vehicles), or due to device limitations (e.g., a cab customer's cell-phone may have Bluetooth but not internet access to update the server), or due to the fact that updates from mobile devices may involve a communication cost that nobody is willing to pay, or due to the fact that the local server (e.g., of Starbucks) may accept only updates from certain users or certain applications but not others. In short, a client-(local)-server may have both accessibility and availability problems.

Thus, a MANET database can substitute or augment the client-(local)-server approach. Communication in the MANET is free since it uses the unlicensed spectrum, and larger in bandwidth than the cellular infrastructure, thus can provide media rich information, such as maps, menus, and even video. A mobile user may search the MANET database only, or combine it with a client-server search.

Currently, there are quite a few experimental projects in MANET databases. These can be roughly classified into pedestrians and vehicular projects. Vehicular projects deal with high mobility and high communication topology change-rates, whereas pedestrians projects have a strong concern with power issues. The following are several active experimental MANET database projects for pedestrians and vehicles:

Pedestrians Projects

- *7DS* – Columbia University
 - <http://www.cs.unc.edu/~maria/7ds/>
 - Focuses on accessing web pages in environments where only some peers have access to the fixed infrastructure.

- *iClouds* – Darmstadt University
 - <http://iclouds.tk.informatik.tu-darmstadt.de/>
 - Focuses on the provision of incentives to brokers (intermediaries) to participate in MANET databases.

- *MoGATU* – University of Maryland, Baltimore County
 - <http://mogatu.umbc.edu/>
 - Focuses on the processing of complex data management operations, such as joins, in a collaborative fashion.

- *PeopleNet* – National University of Singapore
 - <http://www.ece.nus.edu.sg/research/projects/abstract.asp?Prj=101>
 - Proposes the concept of information Bazaars, each of which specializes in a particular type of information; reports and queries are propagated to the appropriate bazaar by the fixed infrastructure.

- *MoB* – University of Wisconsin and Cambridge University
 - <http://www.cs.wisc.edu/~suman/projects/agora/>
 - Focuses on incentives and the sharing among peers of virtual information resources such as bandwidth.

- *Mobi-Dik* – University of Illinois at Chicago
 - <http://www.cs.uic.edu/~wolfson/html/p2p.html>
 - Focuses on information representing physical resources, and proposes stateless algorithms for query processing, with particular concerns for power, bandwidth, and memory constraints.

Vehicular Projects

- *CarTALK 2000* – A European project
 - <http://www.cartalk2000.net/>
 - Develops a co-operative driver assistance system based upon inter-vehicle communication and MANET databases via self-organizing vehicular ad hoc networks.
- *FleetNet* – Internet on the Road Project
 - <http://www.ccrle.nec.de/Projects/fleetnet.htm>
 - Develops a wireless multi-hop ad hoc network for intervehicle communication to improve the driver's and passenger's safety and comfort. A data dissemination method called “contention-based forwarding” (CBF) is proposed in which the next hop in the forwarding process is selected through a distributed contention mechanism based on the current positions of neighbors.
- *VII* – Vehicle Infrastructure Integration, a US DOT project
 - <http://www.its.dot.gov/vii/>
 - The objective of the project is to deploy advanced vehicle-to-vehicle and vehicle-to-infrastructure communications that could keep vehicles from leaving the road and enhance their safe movement through intersections.
- *Grassroots, Trafficview* – Rutgers University

TrafficInfo – University of Illinois at Chicago

- <http://paul.rutgers.edu/~gsamir/dataspace/grassroots.html>
- http://discolab.rutgers.edu/traffic/veh_apps.htm
- <http://cts.cs.uic.edu/>
- These projects develop an environment in which each vehicle contributes a small piece of traffic information (its current speed and location) to the network, using the P2P paradigm, and each vehicle aggregates the pieces into a useful picture of the local traffic.

Foundations

There are two main paradigms for answering queries in MANET databases, one is report pulling and the other one is report pushing.

Report pulling means that a mobile peer issues a query which is flooded in the whole network, and the answer-reports will be pulled from the mobile peers that have them (see e.g., [2]). Report pulling is widely used in resource discovery, such as route discovery in mobile ad hoc networks and file discovery by query flooding in wired P2P networks like Gnutella. Flooding in a wireless network is in fact relatively efficient as compared to wired networks because of the wireless broadcast advantage, but

there are also disadvantages which will be explained below.

Another possible approach for data dissemination is report pushing. Report pushing is the dual problem of report pulling; reports are flooded, and consumed by peers whose query is answered by received reports. So far there exist mechanisms to broadcast information in the complete network, or in a specific geographic area (geocast), apart from to any one specific mobile node (unicast/mobile ad hoc routing) or any one arbitrary node (anycast). Report pushing paradigm can be further divided into stateful methods and stateless methods. Most stateful methods are topology-based, i.e., they impose a structure of links in the network, and maintain states of data dissemination. PStree [4], which organizes the peers as a tree, is an example of topology based methods.

Another group of stateful methods is cluster- or hierarchy-based method, such as [14], in which moving peers are grouped into some clusters or hierarchies and the cluster heads are randomly selected. Reports are disseminated through the network in a cluster or hierarchy manner, which means that reports are first disseminated to every cluster head, and each cluster head then broadcasts the reports to the member peers in its group. Although cluster- or hierarchy-based methods can minimize the energy dissipation in moving peers, these methods will fail or cost more energy in highly mobile environments since they have to maintain a hierarchy structure and frequently reselect cluster heads.

Another stateful paradigm consists of location-based methods (see [9]). In location-based methods, each moving peer knows the location of itself and its neighbors through some localization techniques, such as GPS or Atomic Multilateration (see [9]).

The simplest location-based data dissemination is Greedy Forwarding, in which each moving peer transmits a report to a neighbor that is closer to the destination than itself. However, Greedy Forwarding can fail in some cases, such as when a report is stuck in local minima, which means that the report stays in a mobile peer whose neighbors are all further from the destination. Therefore, some recovery strategies are proposed, such as GPSR (Greedy Perimeter Stateless Routing [6]). Other location-based methods, such as GAF (Geographic Adaptive Fidelity [17]) and GEAR (Geographical and Energy Aware Routing [18]), take advantage of knowledge about both location and energy to disseminate information and resources more efficiently.

In stateless methods, the most basic and simplest one is flooding-based method, such as [11]. In flooding-based methods, mobile peers simply propagate received reports to all neighboring mobile peers until the destination or maximum hop is reached. Each report is propagated as soon as it is received. Flooding-based methods have many advantages, such as no state maintenance, no route discovery, and easy deployment. However, they inherently cannot overcome several problems, such as implosion, overlap, and resource blindness. Implosion refers to the waste of resources taking place when a node forwards a message to a neighbor although the latter may have already received it from another source. Overlap occurs when two nodes read the same report, and thus push into the network the same information. Resource blindness denotes the inability of the protocol to adapt the node's behavior to its current availability of resources, mainly power [12]. Therefore, other stateless methods are proposed, such as gossiping-based methods and negotiation-based methods.


Gossiping-based methods, such as [3], improve flooding by transmitting received reports to a subset of randomly selected neighbors; another option is to have some neighbors simply drop the report. For example, the neighbors that are not themselves interested in the report drop it. The advantages of gossiping-based methods include reducing the implosion and lowering the system overhead. However, dissemination, and thus performance, is reduced compared to pure flooding.

Negotiation-based methods solve the implosion and overlap problem by transmitting first the id's of reports; the reports themselves are transmitted only when requested (see [7]). Thus, some extra data

transmission is involved, which costs more memory, bandwidth, and energy. In addition, in negotiation-based methods, moving peers have to generate meta-data or a signature for every report so that negotiation can be carried out, which will increase the system overhead and decrease the efficiency.

Another important stateless paradigm for data dissemination in MANET databases is store-and-forward. In contrast to flooding, store-and-forward does not propagate reports as soon as they are received; rather they are stored and rebroadcast later. This obviously introduces storage and bandwidth problems, if too many reports need to be saved and rebroadcast at the same time. To address these, methods such as [5] rank all the reports in a peer's database in terms of their relevance (or expected utility), and then the reports are communicated and saved in the order of their relevance. Or, the reports requested and communicated are the ones with the relevance above a certain threshold. The notion of relevance quantifies the importance or the expected utility of a report to a peer at a particular time and at a particular location. Other store-and-forward methods include PeopleNet [10] and 7DS [13].

In summary, the paradigms for data dissemination in MANET databases are summarized in Fig. 2 below.



MANET Databases. Figure 2 Query answering methods in MANET databases.

Key Applications

MANET databases provide mobile users a search engine for transient and highly dynamic information in a local geospatial environment. MANET databases employ a unified model for both the cellular infrastructure and the mobile ad hoc environments. When the infrastructure is available, it can be augmented by the MANET database approach.

Consider a MANET database platform, i.e., a set of software services for data management in a MANET environment; it is similar to a regular Database Management System, but geared to mobile P2P interactions. Such a platform will enable quick building of matchmaking or resource discovery services in many application domains, including social networks, emergency response and homeland security, the military, airport applications, mobile e-commerce, and transportation.

Social Networks

In a large professional, political, or social gathering, MANET databases are useful to automatically facilitate a face-to-face meeting based on matching profiles. For example, in a professional gathering, MANET databases enable attendees to specify queries (interest profiles) and resource descriptions (expertise) to facilitate face-to-face meetings, when mutual interest is detected. Thus, the individual's profile that is stored in MANET databases will serve as a “wearable web-site.” Similarly, MANET databases can facilitate face-to-face meetings for singles matchmaking.

Emergency Response, Homeland Security, and the Military

MANET databases offer the capability to extend decision-making and coordination capability. Consider workers in disaster areas, soldiers and military personnel operating in environments where the wireless fixed infrastructure is significantly degraded or non-existent. As mobile users involved in an emergency response naturally cluster around the location of interest, a self-forming, high-bandwidth network that allows database search without the need of potentially compromised infrastructure could be of great benefit. For instance, the search could specify a picture of a wanted person.

Airport Applications

A potential opportunity that will benefit both the consumer and the airport operations is the dissemination and querying of real-time information regarding flight changes, delays, queue length, parking information, special security alerts and procedures, and baggage information. This can augment the present audio announcements that often cannot be heard in nearby restaurants, stores, or restrooms, and augment the limited number of displays.

Mobile E-commerce

Consider short-range wireless broadcast and mobile P2P dissemination of a merchant's sale and inventory information. It will enable a customer (whose cell phone is query-capable) who enters a mall to locate a desired product at the best price. When a significant percentage of people have mobile devices that can query retail data, merchants will be motivated to provide inventory/sale/coupons information electronically to nearby potential customers. The information will be disseminated and queried in a P2P fashion (in, say, a mall or airport) by the MANET database.

Transportation Safety and Efficiency

MANET databases can improve safety and mobility by enabling travelers to cooperate intelligently and automatically. A vehicle will be able to automatically and transitively communicate to trailing vehicles its “slow speed” message when it encounters an accident, congestion, or dangerous road surface conditions. This will allow other drivers to make decisions such as finding alternative roads. Also, early warning messages may allow a following vehicle to anticipate sudden braking, or a malfunctioning brake light, and thus prevent pile-ups in some situations. Similarly, other resource information, such as ridesharing opportunities, transfer protection (transfer bus requested to wait for passengers), will be propagated transitively, improving the efficiency of the transportation system.

Future Directions

Further work is necessary on data models for mobile P2P search applications. Work on sensor databases (e.g., Tinydb [8]) addresses data-models and languages for sensors, but considers query processing in an environment of static peers (see e.g., POS [1]). Cartel [5] addresses the translation of these abstractions to an environment in which cars transfer collected data to a central database via fixed access points. Work on MANET protocols deals mainly with routing and multicasting. In this landscape there is a gap, namely general query-processing in MANET's; such processing needs to be cognizant of many issues related to peer-mobility. For example, existing mobile P2P query processing methods deal with simple queries, e.g., selections; each query is satisfied by one or more reports. However, in many application classes one may be interested in more sophisticated queries, e.g., aggregation. For instance, in mobile electronic commerce a user may be interested in the minimum gas price within the next 30 miles on the highway. Processing of such P2P queries may present interesting optimization opportunities.

After information about a mobile resource is found, localization is often critical for finding the physical resource. However, existing (self)-localization techniques are insufficient. For example, GPS is not available indoors and the accuracy of GPS is not reliable. Thus, furthering the state of the art on localization is important for mobile P2P search.

As discussed above, MANET databases do not guarantee answer completeness. In this sense, the integration with an available infrastructure such as the internet or a cellular network may improve performance significantly. This integration has two aspects. First, using the communication infrastructure in order to process queries more efficiently; and second, using data on the fixed network in order to provide better and more answers to a query. The seamless integration of MANET databases and infrastructure databases introduces important research challenges.

Other important research directions include: incentives for broker participation in query processing (see [16]), and transactions/atomicity/recovery issues in databases distributed over mobile peers (virtual currency must be transferred from one peer to another in an atomic fashion, otherwise may be lost).

Of course, work on efficient resource utilization in mobile peers, and coping with sparse networks and dynamic topologies is still very important for mobile P2P search.

Cross-references

[Mobile Ad hoc Network Databases](#)

[Peer-to-peer Database](#)

[Peer-to-peer Network](#)

Recommended Reading

1. Cox L., Castro M., and Rowstron A. POS: Practical Order Statistics for wireless sensor networks. In Proc. 23rd Int. Conf. on Distributed Computing Systems, 2006, pp. 52.
2. Das S.M., Pucha H., and Hu Y.C. Ekta: An efficient DHT substrate for distributed applications in Mobile Ad hoc Networks. In Proc. Sixth IEEE Workshop on Mobile Computing Systems and Applications, 2004, pp. 163–173.

3. Datta A., Quarteroni S., and Aberer K. Autonomous gossiping: a self-organizing epidemic algorithm for selective information dissemination in wireless Mobile Ad-Hoc Networks. In Proc. Int. Conf. Semantics of a Networked World, 2004, pp. 126–143.
4. Huang Y. and Molina H.G. Publish/subscribe in a mobile environment. In Proc. 2nd ACM Int. Workshop on Data Eng. for Wireless and Mobile Access, 2001, pp. 27–34
5. Hull B. et al. CarTel: a distributed mobile sensor computing system. In Proc. 4th Int. Conf. on Embedded Networked Sensor Systems, 2006, pp. 125–138.
6. Karp B. and Kung H.T. GPSR: Greedy Perimeter Stateless Routing for wireless sensor networks. In Proc. 6th Annual Int. Conf. on Mobile Computing and Networking, 2000, pp. 243–254.
7. Kulik J., Heinzelman W., and Balakrishnan H. Negotiation-based protocols for disseminating information in wireless sensor networks. *Wireless Netw.*, 8:169–185, 2002.
8. Madden S.R., Franklin M.J., Hellerstein J.M., and Hong W. Tiny DB: an acquisitional query processing system for sensor networks. *ACM Trans. Database Syst.*, 30(1):122–173, 2005.
9. Mauve M., Widmer A., and Hartenstein H. A survey on position-based routing in Mobile Ad-Hoc Networks. *IEEE Netw.*, 15(6):30–39, 2001.
10. Motani M., Srinivasan V., and Nuggehalli P. PeopleNet: engineering a wireless virtual social network. In Proc. 11th Annual Int. Conf. on Mobile Computing and Networking, 2005, pp. 243–257.
11. Oliveira R., Bernardo L., and Pinto P. Flooding techniques for resource discovery on high mobility MANETs. In Proc. Int. Workshop on Wireless Ad-hoc Networks, 2005.
12. Papadopoulos A.A., and McCann J.A. Towards the design of an energy-efficient, location-aware routing protocol for mobile, Ad-hoc Sensor Networks. In Proc. of the 15th Int. Workshop on Database and Expert Systems Applications, 2004, pp. 705–709.
13. Papadopouli M. and Schulzrinne H. Design and implementation of a P2P Data dissemination and prefetching tool for mobile users. In Proc. 1st New York Metro Area Networking Workshop, IBM TJ Watson Research Center. Hawthorne, NY, 2001.
14. Visvanathan A., Youn J.H., and Deogun J. Hierarchical Data Dissemination Scheme for Large Scale Sensor Networks. In Proc. IEEE Int. Conf. on Communications, 2005, pp. 3030–3036.
15. Wolfson O., Xu B., Yin H.B., and Cao H. Search-and-discover in Mobile P2P Network Databases. In Proc. 23rd Int. Conf. on Distributed Computing Systems, 2006, pp. 65.
16. Xu B., Wolfson O., and Risse N. Benefit and pricing of spatio-temporal information in Mobile Peer-to-Peer Networks. In Proc. 39th Annual Hawaii Conf. on System Sciences, vol. 9, 2006, pp. 2236.
17. Xu Y., Heidemann J., and Estrin D. Geography-informed energy conservation for Ad hoc Routing. In Proc. 7th Annual Int. Conf. on Mobile Computing and Networking, 2001, pp. 70–84.
18. Yu Y., Govindan R., and Estrin D. Geographical and Energy Aware Routing: a Recursive Data Dissemination Protocol for Wireless Sensor Networks. Technical Report UCLA/CSD-TR-01-0023, UCLA, May 2001.